



Quick links... ▾

ADVERTISEMENT

Employees quit managers.
Now what?

[Read the Article](#)

NEWS > LOCAL NEWS



Child approached by a stranger at her bus stop

Posted: 11:15 AM, Feb 15, 2019 **Updated:** 11:15 AM, Feb 15, 2019

CLOSE

ADVERTISEMENT

Employees quit managers.
Now what?

[Read the Article](#)



CHEEKTOWAGA, N.Y. (WKBW) — Cheektowaga Police are alerting the public after a stranger approached a young girl while she was waiting for her bus on Thursday morning.

Police say the 4th grader was waiting for the bus on Eggert Road when a gray 4 door sedan pulled up and asked the girl if she wanted some candy. Investigators say the man driving the car then left but returned to the bus stop several times before leaving the area. The child was then picked up by her bus and taken to her school where she told school personnel of the incident.

The driver of the car is described as a black male in his fifties with black hair. Anyone with any information on this incident is asked to call Cheektowaga Police Detective Bureau at 686-3505.

[CLOSE](#)

ADVERTISEMENT



Copyright 2019 Scripps Media, Inc. All rights reserved. This material may not be published, broadcast, rewritten, or redistributed.

CURATION BY



Antonio Brown mocks Buffalo Bills on social media



Sponsored

Top Cardiologist: This One Thing Will Properly Flush Out Your Bowels

Gundry MD

CLOSE

ADVERTISEMENT



9-year-old girl forced from stolen vehicle at gunpoint



Report: End of era for local Greek Restaurant

CLOSE

ADVERTISEMENT



ADVERTISEMENT


CLOSE

ADVERTISEMENT

PREGABALIN [®]
capsules

**ASK YOUR DOCTOR ABOUT LYRICA
IT'S A SPECIFIC TREATMENT
FOR DIABETIC NERVE PAIN**

LEARN ABOUT LYRICA ▶



LYRICA is only approved for adults over 18

SCROLL FOR IMPORTANT SAFETY INFORMATION AND INDICATIONS

Important Safety Information

LYRICA is not for everyone. LYRICA may cause serious, even life threatening, allergic reactions. Stop taking LYRICA and call your doctor right away if you have any signs of a serious allergic reaction. Some signs are swelling of the face, mouth, lips, gums, tongue, throat or have any trouble breathing, or have hives or blisters.

Drugs used to treat seizures increase the risk of suicidal thoughts or actions in some people.

[Medication Guide >](#) [Full Prescribing Information >](#)

CLOSE

ADVERTISEMENT



Support



Scripps TV Station Group
© 2019 The E.W. Scripps Co

[Site Map](#) [Privacy Policy](#) [Terms of Use](#) [EEO](#) [FCC Public File](#)
[Public File](#) [Contact Us](#)

CLOSE

ADVERTISEMENT